

Zinc alloy specifications acc. US Mil. Spec-A-18001K



| Components | Impurities | Percentage (%) |
|------------|--------------|----------------|
| Cadmium | | 0.025 - 0.07 |
| Aluminium | | 0.10 - 0.5 |
| Zinc | | Remainder |
| | Copper | 0.005 max |
| | Iron | 0.005 max |
| | Lead | 0.006 max |
| | Others total | 0.10 max |

Electrochemical capacity: 780 AHr/Kg nominal
Solution potential: -1050mV vs. Ag/AgCl reference cell nominal (in seawater)

Other specifications are available on request.

Note: All dimensions and weights are nominal. Dimensions in mm
 All data is subject to change without prior notice
 Anode can also be provided backside coated

Nett Weight: 11.0 Kg
 Gross Weight: 11.8 Kg

| | | | | | |
|--------------|---|----------------|---|--|--|
| Date: |  | | Cathodic Protection Division Rietdekkerstraat 16 P.O. Box 4222 2980 GE Ridderkerk Netherlands Tel: +31 (0)180 48 28 28 E-mail: sales@mme.nl www.mme-group.com | | Projection:  |
| | | | Order number: | | Zinc Alloy Hull Anode MME 11Z |
| Description: | Drawn: PdG | Date: 31-07-13 | Project: | | Sheet 1/1 |
| | Checked: JdR | Date: 31-07-13 | Dwg: MME 11Z | | |
| Rev. | Approved: PM | Date: 31-07-13 | Copyright MME. No part of this drawing may be copied, disclosed, or made public, in any form, without prior written consent of Materiaal Metingen Europe. | | |