

Retail Range



ANTIFOULING – Conventional - Eroding

Micron® Optima

Micron Optima has been designed to provide exceptional antifouling protection for a full season against all types of fouling including slime. Minimal paint build up occurs over time due to self polishing technology. It is effective against all forms of fouling. It is solvent free and low odour ensuring a cleaner working environment. Contains Copper Oxide and Zinc Pyrithione.

2 Litres

Black YBA993/A2 Light Blue YBA973/A2 Red YBA953/A2 Dover White YBA903/A2

Thinners Water



Micron® Extra

Micron Extra is a high strength, premium performance polishing antifouling that provides 2 seasons protection from just one application (3-4 coats). Formulated with Biolux™ Technology for controlled optimised biocide release, Micron Extra delivers outstanding protection even in difficult fouling conditions. It enables boats to be hauled and relaunched without repainting. It utilises a Polishing System which avoids paint build up and can be applied up to 12 months before launch. Contains Copper Oxide and Dichlofluanid.

2.5 Litres		Red	YBA944/2.5	X.International
Black Blue	YBA994/2.5 YBA920/2.5	750ml Black	YBA994/750	Micron et
Dover White	YBA904/2.5	Blue	YBA920/750	
Green Grey	YBA924/2.5 YBA964/2.5	Dover White Navy	YBA904/750 YBA929/750	
Navy	YBA929/2.5	Red	YBA944/750	

Thinners No.3(YTA085)

Cruiser® Uno

Cruiser Uno is a one coat antifouling designed for both power (up to 25 knots) and sailing boats. It can be re-immersed after 2 hours at 23°c and provides single season antifouling protection. In most cases there is no need to seal main stream antifouling schemes and there is no need to sand before re-coating. Contains Copper Oxide and Dichlofluanid

3 Litres		750ml		
Black	YBA295/3	Black	YBA295/750	
Blue	YBA210/3	Blue	YBA210/750	1
Navy	YBA234/3	Navy	YBA234/750	
Red	YBA255/3	Red	YBA255/750	
Shell White	YBA203/3	Shell White	YBA203/750	

Thinners No.3(YTA085)

Bottomcoat

Bottomcoat is a cruising antifouling designed specifically to provide good antifouling protection in all but the heaviest fouling challenges. Provides season long antifouling protection, which is suitable for application several weeks before immersion. It contains an organic booster to improve performance.

		Navy	YBB007/2.5	X.International.
2.5 Litres		Red	YBB009/2.5	P
Black	YBB003/2.5			Bottomcoat
Blue	YBB005/2.5	Thinners	No.3(YTA085)	

X.International.

Nautical Eroding

Nautical Antifouling is a general purpose cruising antifouling that offers good protection in all but the harshest fouling conditions. It contains Copper Oxide

2.5 Litres

Black YBA885/2.5 Blue YBA883/2.5 Red YBA884/2.5

Thinners No.3(YTA085)

ANTIFOULING – Hard

Trilux

Trilux offers protection in low to medium fouling conditions where a hard, scrubbable antifouling is required. It is ideal for fast powerboats over 25knts, propellers, outdrives, sterngear and the waterline. Medium strength and based on Biolux Technology, it is available in range of bright colours, including bright white. It is suitable for burnishing to provide a smooth finish and has an <u>aluminium compatible</u> formulation. Contains Copper Thiocyanate and Dichlofluanid

2.5 Litres		750ml	
Black	YBA591/2.5	White	YBA508/750
Blue	YBA515/2.5		
Green	YBA521/2.5	375ml	
Grey	YBA563/2.5	Black	YBA591/375
Scarlet	YBA550/2.5	Blue	YBA515/375
White	YBA508/2.5	Grey	YBA563/375
		Scarlet	YBA550/375
		White	YBA508/375
Thinners	No.3(YTA085)		

Interspeed Ultra

Offers protection in the highest fouling conditions where a hard, scrubbable antifouling is required. It is ideal for fast powerboats due to its high strength. Suitable for burnishing, it can provide a smooth finish which allows for maximum slip through the water. Contains Copper Oxide and Dichlofluanid.

		Rea	YBA34 1/2.5
2.5 litres			
Dover white	YBA303/2.5	750ml	
Black	YBA393/2.5	Dover white	YBA303/750
Blue	YBA333/2.5	Black	YBA393/750
Green	YBA323/2.5	Blue	YBA333/750
Grey	YBA363/2.5	Light Blue	YBA331/750
Light Blue	YBA331/2.5	Red	YBA341/750
Princess Grey	YBA366/2.5		



KInternational

Trilux

Waterways Plus

YBA353/2.5

No.3(YTA085)

Waterways Plus is a hard scrubbable antifouling specifically designed for fresh water areas and inland waterways. It is suitable for application several weeks before immersion for season long antifouling protection. Waterways plus is ideal for fleet operators. It contains Copper Oxide and Zineb.

2.5 Litres

Navy

Thinners

Bright Red YBA365/2.5 Mid Blue YBA364/2.5

Thinners No.3(YTA085)



ANTIFOULING - VC® Range

VC® Offshore with Teflon®

VC Offshore with Teflon is a strong antifouling with Teflon suitable for both power and sailboats. It is quick drying to a smooth, hard film which is easy to clean and provides excellent scrub ability. VC Offshore is the perfect product for increased speed and efficiency in the water and in preparation. It is quick and easy to apply with no sanding needed between coats. VC dries rapidly for rapid over coating and flexible launch times.

YBA707/A750

2 Litres

Black YBA797/A2 **750ml**Blue YBA717/A2 Shell White

Red YBA747/A2 Shell White YBA707/A2

Thinners VC General Thinner(YTA600)

VC® 17M Extra

VC 17m Extra is a hard antifouling with Teflon that gives your hull a slick low friction surface for maximum speed and efficiency. It makes the ideal choice for highly active craft such as racing yachts and RIBs. VC Extra 17m self-levels to a smooth even finish without the need to sand and dries rapidly allowing you to paint and launch in the same day. Forming only a thin film, minimal paint builds up with time. It is suitable for use (with recommended primers) on GRP, Steel and lead surfaces. DO NOT USE Graphite on Aluminium.

2 Litres 750ml

Graphite YBA762/A2 Graphite YBA762/A750

Thinners VC General Thinner(YTA600)

Trilux Prop-O-Drev

Trilux Prop-O-Drev is a hard antifouling that is specially formulated for use on outdrives, outboard legs, propellers and sterngear. In an aerosol spray, it is ideal for painting awkward shapes and difficult to reach areas. Quick and easy application saves you time and effort and it is suitable for use on aluminium and stainless steel.

500ml

Black YBA798/500 Grey YBA768/500

Prop-O-Drev Primer

VC Prop-O-Drev Primer is specially formulated for use with Prop-O-Drev on outdrives, outboard legs, propellers and sterngear. As an aerosol it is ideal for painting awkward shapes and offers excellent adhesion to properly prepared metal and factory enamelled surfaces.

300ml

Grey YPA688/300

TWO PACK POLYURETHANE GLOSS FINISHES

Perfection®

Perfection 2-part polyurethane is the ultimate performing, high gloss topside finish. It provides the longest-lasting, ultra-high gloss finish that has superb colour-retention, together with excellent chemical and abrasion resistance. It has been formulated specifically to enable skilled amateur users to achieve professional-quality results with ease. UV filters combined with the chemical cure of the polyurethane give the longest life possible. It is an excellent choice for use on high wear areas e.g. decks (with Non Slip additive). It is chemically resistant to diesel, petrol, oil, mild acids and alkalis.



750ml

Platinum A183	YHA183/A750	Flag Blue K990 YHK990/A750
Med White A184	YHA184/A750	Fighting Lady Yellow S056 YHS056/A750
Off White A192	YHA192/A750	Cream S070 YHS070/A750
Royal Blue A216	YHA216/A750	Chilli Red E294 YHE294/A750
Snow White B000	YHB000/A750	Jet Black Y999 YHY999/A750
Jade Mist Green B663	YHB663/A750	Rochelle Red S299 YHS299/A750
Mauritius Blue F991	YHF991/A750	

More colours available in Professional range.

Thinners No.9(YTA006)

TWO PACK POLYURETHANE UNDERCOATS

Perfection® Undercoat

Perfection Undercoat is the ideal base for a long lasting scheme, when used with Perfection finish. The 2-component formulation provides excellent obliteration. Long overcoating times allow coat-on-coat application and make for an easy to apply product. Perfection Undercoat rubs down to an exceptionally smooth finish and the semi-gloss finish allows easy checking for hull fairness. It can also be tinted with Perfection Gloss to compliment the final colour.



750ml

White 001 YRA003/A750
Thinners No.9(YTA006)

ONE PACK GLOSS FINISHES

Toplac

Toplac is a premium gloss marine enamel for all substrates above the waterline. It is exceptionally easy to apply by brush, roller or pad and contains UV filters for increased durability. Toplac has excellent flow characteristics and is available in a range of bright colours. With over twice the life of ordinary alkyd enamels, its unique chemical structure enables Toplac to outperform traditional finishes.

2.5	Litres
-----	--------

Z.O EILICO			
Med. White 545	YKA184/2.5	Ivory 812	YKA187/750
Snow White 001	YKB000/2.5	Jet Black 051	YKY999/750
		Lauderdale Blue 936	YKS936/750
750ml		Mauritius Blue 018	YKF991/750
Atlantic Grey 289	YKF684/750	Med. White 545	YKA184/750
Baltic Blue 163	YKB914/750	Oxford Blue 105	YKB993/750
Bondi Blue 016	YKU898/750	Rochelle Red 011	YKS299/750
Bounty 350	YKJ292/750	Rustic Red 501	YKZ501/750
Danube Blue 104	YKE938/750	Snow White 001	YKB000/750
Donegal Green 077	YKT541/750	Yellow 101	YKS101/750

Thinners No.1(YTA800)



Brightside®

Brightside is a superior quality polyurethane gloss yacht enamel, providing excellent abrasion resistance and durability. It is suitable for all substrates above the waterline and gives a high gloss finish with superb colour retention. Brightside contains Teflon® which makes it easier to clean and better able to resist staining, chemicals & dirt. Teflon® also increases the abrasion resistance of Brightside.

Snow White 001	YDB000/2.5	Sapphire Blue 830	YDB830/750
		Seattle Grey 251	YDF051/750
750ml		Squall Blue 923	YDB923/750
Black 051	YDY999/750	Snow White 001	YDB000/750
Clipper White 003	YDB003/750		
Cream 027	YDC089/750	250ml	
Fire Red 504	YDC286/750	Black 051	YDY999/250
Flag Blue 990	YDK990/750	Fire Red 504	YDC286/250
Largo Blue 946	YDB946/750	Largo Blue 946	YDB946/250
Norfolk Green 241	YDD583/750	Snow White 001	YDB000/250
Rescue Orange 265	YDD265/750		

Thinners No.1(YTA800)/No.333(YTA333)

BILGE AND LOCKER PAINTS

Danboline

Danboline protects bilges, lockers and bulkheads against moisture penetration, wear and tear. Danboline will resist oil and fuel spillage and cleans easily. It is formulated to provide high opacity for excellent covering power. Danboline is hard wearing and available in a range of colours.

2.5 Litres		750ml		XInternation
Grey 100	YMA100/2.5	Grey 100	YMA100/750	
White 001	YMA102/2.5	Red 102	YMA101/750	Danbolin
		White 001	YMA102/750	
Thinners	No.1(YTA800)			

MATTING ADDITIVES

One-Pack Matting Additive

A matting additive specially formulated for mixing with International one pack finishes and varnishes to produce a variety of gloss, satin or matt effect finishes. Designed for both interior and exterior use.

750ml Thinners No.1(YTA800) Translucent YMA715/750



Pre-Kote

Use Pre-Kote as an undercoat for Toplac or Brightside enamels. Excellent obliteration allows for easy colour changing. It is easy to apply and rub down and can be mixed with top coats to create a range of base coat colours. The tough, flexible resins are long lasting and give a smooth base for the finishing coat.

2.5 Litres White 001	YUB000/2.5	750ml Blue Grey 879 White 001	YUG879/750 YUB000/750
Thinners	No.1(YTA800)	375ml White 001	YUB000/375



X.International

tting Additi

NON SLIP COATINGS

Interdeck®

Interdeck provides an excellent slip resistant finish. It contains a fine aggregate and will apply easily on all substrates. A low sheen finish prevents dazzling reflected sunlight off decks. Available in a range of colours and has a tough polyurethane resin protects decks against everyday wear and tear.

750ml

 White 001
 YJB000/750
 Grey 289
 YJF684/750

 Beige 090
 YJG090/750
 Pale Blue 339
 YJB339/750

 Cream 027
 YJC089/750
 Squall Blue 923
 YJB923/750

Thinners No.1(YTA800)

Non-slip Additive

An additive for use in top paints to create non-slip surfaces.

20GM YMA905/1

TWO PACK POLYURETHANE VARNISHES

Perfection® Varnish

Perfection Varnish is the ultimate in varnish performance, combining excellent chemical and abrasion resistance with superb gloss. A chemical cure provides resistance to fuels, oil, mild acids and alkalis, which combined with UV filters give the longest possible life.

750ml

Clear YVA853/A750

Thinners No.9(YTA006)

ONE PACK VARNISHES

Schooner®

Schooner is a traditional tung-oil based gloss yacht varnish for classic yachts, suitable for all internal and external wood. It contains UV filters to screen the sun's damaging rays for remarkable durability. It creates a deep, rich gloss in a warm golden colour. Schooner has excellent water resistance, silky application and superior self-levelling properties.

750ml 375ml

Yellow/Amber YVA086/750 Yellow/Amber YVA086/375

Thinners No.1 (YTA800), No.333(YTA333)

Goldspar®

The polyurethane resin gives a tough finish for interior and exterior use. It provides resistance to hot water, mild acids and alkalis. The quick drying formulation minimises dust contamination.

750ml 375ml

Clear YVA213/750 Clear YVA213/375

Thinners No.1(YTA800)

X.International.

Goldspar® Satin

A satin finish polyurethane varnish designed primarily for interior use. It provides resistance to hot water, mild acids and alkalis. The guick drying formulation minimises dust contamination.

2.5 Litres 375ml

Clear YVA251/.2.5 Clear YVA251/375

750ml Thinners No.1(YTA800)

Clear YVA251/750

Original

Original is a traditional yacht varnish with UV resistance. Its features include excellent flexibility, ease of application, good gloss retention, and non-blooming qualities. A high clarity finish especially suited to lighter colour timbers.

2.5 Litres 375ml

Clear YVA202/2.5 Clear YVA202/375

750ml Thinners No.1 (YTA800)

Clear YVA202/750

WOOD PRIMER

Universal Clear Primer (UCP)

UCP is the ideal bare wood primer for use before painting or varnishing. It can be used above and below water. It is suited to both High Performance and Conventional varnishes bonding to the wood for excellent adhesion. The fast drying formulation is tougher and more durable than conventional primers.

375ml Thinners No.9(YTA006)

Clear YPA600/375



X.International

Goldspa

SIKKENS WOODCARE RANGE

Cetol Marine

One Pack, breathable, stained satin impregnating oil/varnish based on a modified alkyd resin. It is ideal for use on all tropical hardwoods, especially teak. Cetol marine is designed as a primer/finisher on yachts exteriors above the waterline.

750ml Light IVA315/750

Natural IVA300/750
Teak IVA310/750 AK Thinner ITA100/50

FILLERS

Interfill® 100

Interfill 100 is a conventional marine wood filler for use above the waterline. It is ideal for filling screwholes and small cracks in paintwork around seams, where a fine cosmetic finish is required.

170ml

Wood Filler YAA041/170

Thinners No.1(YTA800)



Watertite

Watertite is a quick drying epoxy filler suitable for use on GRP, Metals and rigid Wood constructions. The formulation does not shrink and is extremely water resistant, making it suitable for localised osmosis damage repairs. It fills up to 20 mm without sagging and is ideal for use above and below the waterline. Watertite is high strength and has good adhesion properties. It is very fast drying and supersmooth when dry.

1 Litre 250ml

Light Blue YAV145/A1 Light Blue YAV145/A250

Cleaning Thinners No.7(YTA061)

SINGLE PACK PRIMERS

Primocon®

Primocon is a tar-free, quick drying conventional primer for all substrates underwater. It is also suitable as a barrier/sealer coat over incompatible or unknown antifouling. Primocon prevents leaching of TBT from an underlying antifouling coating, provided it is applied at a minimum dry film thickness of 80 microns (minimum 2 coats by roller) & that the film remains intact.

2.5 Litres 750ml

Grey YPA984/2.5 Grey YPA984/750

Thinners No.3(YTA085)

Yacht Primer

Yacht Primer is a quick drying conventional primer for wood, steel and aluminium/alloy above the water. Pigments contain aluminium flake to provide an anti-corrosive protective barrier.

2.5 Litres 750ml

Grey YPA275/2.5 Grey YPA275/750

Thinners No.1(YTA800)

TWO PACK PRIMERS AND OSMOSIS PROTECTION

Gelshield® 200

A quick drying, easy to apply, epoxy primer for protection of GRP against osmosis. Gelshield 200 provides protection against osmosis in five coats ($250 \mu m$). It is useable down to 5°C and fast drying characteristics allows multiple coat applications in a single day.

2.5 Litres 750ml

 Green
 YPA212/A2.5
 Green
 YPA212/A750

 Grey
 YPA213/A2.5
 Grey
 YPA213/A750

Thinners No.7(YTA061)

VC® Tar-2

VC Tar2 is a 2-component epoxy primer providing osmosis protection to GRP boats and anticorrosive protection to steel and alloy surfaces. For use below water only. It is self-levelling to give an excellent finish and easy to apply, allowing over-coating within hours. VC Tar-2 is the ideal primer base for all VC antifouling.

1 Litre

2.5 LitresBlack
YEA729/A1.5
Black
YEA729/A2.5
Off White
YEA728/A1

Thinners VC General Thinners (YTA600)

Interprotect®

Interprotect is a quick drying, easy to apply epoxy primer for high performance protection on steel, aluminium and wood. It gives excellent anticorrosive protection and works as an antifouling tie-coat for use over epoxy primers. Interprotect provides good abrasion resistance.

2.5 Litres 750ml

Grey YPA403/A2.5 Grey YPA403/A750 White YPA400/A2.5 White YPA400/A750

Thinners No.7(YTA061)

Etch Primer

Pre-treatment primer for aluminium, galvanised steel, zinc-sprayed surfaces and lead. It provides an excellent key prior to the application of subsequent primers.

500ml Thinners No.7(YTA061)

Orange YPA110/A500

ANTIFOULING REMOVER

Interstrip AF

A paint stripper especially formulated for removal of antifouling. Interstrip AF is not aggressive and will not damage gelcoat.

2.5 Litres 1 Litre

Semi clear/white YMA171/2.5 Semi clear/white YMA171/1

Thinners When wet, water. When dry No.3(YTA085)

ONE PACK FLOW AGENTS

Flow Agent 333

A premium flow-agent for thinning all 1-pack paints and varnishes. Flow Agent 333 is not suitable for brush cleaning.

500ml

Clear YTA333/500

THINNERS

Thinner No.1

Thinners No.1 is suitable for thinning and/or equipment cleaning in association with: 1-Pack Paints and Varnishes - Yacht Primer, Toplac, Interlux Super, Interlux Satin, Pre-Kote, Interdeck, Danboline, Interstain, Original, Goldspar, Goldspar Satin, Intertox, Dex 1+2, Schooner, Intertuf JBA016/Interteer

1 Litre YTA800/1

Thinner No.3

Thinners No.3 is suitable for thinning Antifoulings, Bottom Coatings and other Special Paints such as Micron Extra, Cruiser Uno, Trilux, Interspeed Ultra, Waterways, Veridian Tiecoat, Veridian Topcoat, Primocon and Interstrip AF. Suitable for equipment cleaning in association with all of the above products and also for Micron Optima and Interspeed Aqua.

1 Litre YTA085/1 **500ml** YTA085/500



nterstrip Al



Thinner No.7

Thinners No.7 is suitable for thinning and/or equipment cleaning in association with: Interprotect, Gelshield 200, Gelshield, Etch Primer and for equipment cleaning only in association with Watertite, Interfill 830, Interfill 833, Interfill 835.



1 Litre

YTA061/1

Thinner No.9

Thinners No.9 is suitable for thinning and/or equipment cleaning in association with: Perfection Varnish, Perfection Varnish for Teak, Perfection, Perfection Undercoat, UCP.

1 Litre YTA006/1



VC® General Thinner

VC General Thinner is formulated to thin all VC products where necessary and clean application equipment. It will also re-dissolve VC 17m and can be used to remove VC 17m if required.

1 Litre YTA600/1



EPIGLASS® EPOXY RESIN

Epiglass® 1.2kg DIY kit

Epiglass is a versatile epoxy resin system, suitable for a wide variety of uses, such as sheathing, laminating, filling, fairing and gluing on boats of all types. In addition to the high strength and durability associated with epoxy resins, this unique and easy-to-use formula is solvent free and has a low odour ensuring a cleaner working environment. It has a low viscosity for ease of mixing and wet out.



1.2kg

YAA900/AF1.2 Other pack sizes available in the Professional Range

Glue Powder

This extender produces a high strength epoxy glue when mixed with the Epiglass HT9000 resin mix. Epiglass provides outstanding strength and durability under all conditions. The viscosity can be varied by the volume of the glue powder added. Glue powder should be added to filling and fairing mixes to improve trowelling and feathering properties and to prevent sagging.



1 Litre

YXA110/50

Wood Fibres

White Cellulose fibre for adding to glue mixes when bonding. It is especially suitable for fillet bonding.

1 Litre YXA220/175



Epiglass® Epoxy Solvent

Epiglass Epoxy Solvent has been formulated for use with Epiglass HT9000 Epoxy Resin in surface preparation and equipment cleaning. Used for wiping down surfaces prior to application of resin, glue or fairing mixes. It can also be used to thin Epiglass when sealing wood.

500ml YTA901/500



BOAT CARE

UV Protecting Wax Sealer

UV Protecting Wax Sealer is a high performance, deep-gloss wax sealer. It is a non-abrasive reactive wax sealing solution with Teflon®. Providing excellent protection against dirt and oil contamination, its thin film reactive formula provides the ultimate UV protection. It may be left for an extended period prior to polishing off and is machine polishable. It provides a long-lasting, high gloss,

hard-shell protection which may be used in direct sunlight. UV Protecting Wax Sealer is also suitable for use on the car, caravan or garden furniture.

Sealer is also suitable for use on the car, caravan or garden furniture

500ml YMB639/500

Premium Polish

Premium Polish is an advanced wax polish with Teflon® containing wax. It is ideal for paintwork and GRP, providing a high gloss finish. Excellent protection against the marine environment is provided when using either manual or machine polishing (800-1000rpm). It is quick and easy to

use, producing a high gloss, dirt-repellant finish. The Teflon® content provides an easy to clean surface. Premium Polish is also suitable for use on the car, caravan or garden furniture.

500ml YMB636/500

Polwax

Polwax is a cleaner, polish and wax in one product. Used for quick and easy cleaning, polishing and waxing of oxidised gelcoats and painted surfaces. It is free from silicone oils and can be used manually or by machine (800-1000 rpm). Ideal for larger surfaces a full gloss finish can be easily achieved. It is also suitable for use on the car, caravan or garden furniture.

500ml YMB635/500

Liquid Rubbing

A liquid polishing product that restores the former shine on gelcoat and painted surfaces. It does not contain wax or silicone and is suitable for both manual and machine polishing (800-1000 rpm). It is also suitable for use on the car, caravan or garden furniture.

500ml YMB625/500

High Strength Stain Remover

A high strength reactive gel formula that quickly, easily and safely removes exhaust, rust stains, yellowing, oxidation and scum lines on GRP and painted surfaces. It is safe for use on fibreglass, metal and painted surfaces. In a thick gel consistency form High Strength Stain Remover will not run when applied to vertical surfaces.

500ml YMB622/500

Boat Shampoo

Boat Shampoo is a universal cleaner suitable for fibreglass, wood, metals and painted surfaces. It does not remove wax and can be used regularly without affecting your wax protection. It can be used with salt water and is therefore convenient for use anywhere. Boat shampoo leaves surfaces shiny and water repellent.

1 Litre YMB621/1 500ml YMB621/500

Super Cleaner

Super Cleaner is a highly concentrated cleaner, removing wax, oil and contamination effectively. It is suitable for hand or high pressure machine washing, degreasing and cleaning with no damage to the gelcoat or paintwork. It should always be used before waxing. Super Cleaner does not damage acrylic glass and when diluted, is suitable for general cleaning on the boat, bilge/engine or car Super Cleaner is fully biodegradable.

500ml

YMB620/500

Teak Oil

Teak Oil is a special penetrating oil for protection of teak decks and teak interiors. It produces a protective and easy-clean surface. It is a penetrating wood treatment containing linseed and tung oils. For use on any interior or exterior hardwood, it produces an attractive sheen finish, penetrating even moist wood. Teak Oil contains an anti-rust wax for metal surfaces.

500ml

YMB645/500

Other pack sizes available in Professional Range

Teak Restorer

Teak Restorer cleans and restores teak and other hardwoods. It will re-establish the natural colour of teak on any interior or exterior hardwood. Teak Restorer is ideal for decks, teak details and finishing and is also suitable for garden furniture. It does not damage GRP, varnish, paintwork or aluminium and is biodegradable.

500ml

YMB640/500

X®, Intenational®, the Akzo Nobel logo and other products mentioned in this document are trademarks of or licensed to Akzo Nobel.

Teflon® is a registered trademark of E.I. du Pont de Nemours and Company used under license by International Paint LLC.

© Akzo Nobel 2006