

ANODE IDENTIFICATION CHART





How to identify & specify your anode:

Darglow manufactures and supplies an increasing number of anodes to suit various propeller ranges.

Please follow the simple points opposite in order to identify the correct anode to suit your propeller:

1. Look through this guide to locate the pages containing your 'brand' or make of anode.
2. Measure points 'A' and 'B' to check that the dimensions correspond with those in the table above it's picture - and that they match those of your anode and propeller. NB: Exceptions will be indicated.
3. When contacting Darglow, please specify the 'Type' and 'New code' as detailed in the table, See illustrated example below.

VERSION #6 05-16



Quote references from this section when ordering:

Example:

Brand FeatherStream New code: FSL01 (Previous name: FSL Disc) Inner cavity dia 'A' = 41mm Hole centres 'B' = 52mm


ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: FeatherStream

New code: FSL01 (Previous name: FSL Disc)


Inner cavity dia 'A' = 41mm Hole centres 'B' = 52mm



Brand: FeatherStream

New code: FSS02 (Previous name: FSS Disc)


Inner cavity dia 'A' = 32mm Hole centres 'B' = 45mm



Brand: FeatherStream

New code: FSL03 (Previous name: FSL)


Inner cavity dia 'A' = 38mm Hole centres 'B' = 53mm



Brand: FeatherStream

New code: FSS04 (Previous name: FSS)

Inner cavity dia 'A' = 30mm Hole centres 'B' = 45mm





SHEET #2

ANODE IDENTIFICATION CHART



Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Flex-O-Fold **New code:** FF01 (Previous name: 3 Blade) **Inner cavity dia 'A' = 31mm** **Hole centres 'B' = 45mm**



OUTER VIEW INNER VIEW

Brand: Flex-O-Fold **New code:** FF02 (Previous name: 2 Blade Set) **Outer dia 'A' = 31mm** (no 'B' dimension required)

OUTER VIEW INNER VIEW

Brand: Max-Prop **New code:** MP01 (Previous name: 2 Blade) **Inner cavity dia 'A' = 13mm** **Hole centres 'B' = 28mm**

OUTER VIEW INNER VIEW

Brand: Max-Prop **New code:** MP02 (Previous name: A63 Old Style) **Inner cavity dia 'A' = 39mm** **Hole centres 'B' = 47mm**




OUTER VIEW INNER VIEW

SHEET #3

NOTE: Anodes are not shown at actual size or in scale to each other. Guide measurements are approx', and should be taken where shown.

ANODE IDENTIFICATION CHART


Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Max-Prop

New code: MP03 (Previous name: A63 Intermediate) Inner cavity dia 'A' = 39mm Hole centres 'B' = 44mm



OUTER VIEW




Brand: Max-Prop

New code: MP05 (Previous name: A63 Adapted) Inner cavity dia 'A' = 39mm Hole centres 'B' = 44mm



OUTER VIEW




INNER VIEW

Brand: Max-Prop

New code: MP06 (Previous name: B70 Multi-fit) Inner cavity dia 'A' = 43mm Hole centres 'B' = 49mm



OUTER VIEW



INNER VIEW


NB: Measure the distance between the hole centres of any two of the larger holes

Brand: Max-Prop

New code: MP07 (Previous name: B70 Adapted) Inner cavity dia 'A' = 43mm Larger hole centres 'B' = 49mm



OUTER VIEW



INNER VIEW

NB: Measure the distance between the hole centres of any two of the larger holes


ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Max-Prop

New code: MP08 (Previous name: C83 Multi-fit)


Inner cavity dia 'A' = 47mm Larger hole centres 'B' = 60mm



Brand: Max-Prop

New code: MP09 (Previous name: C83 Adapted)


Inner cavity dia 'A' = 47mm Larger hole centres 'B' = 60mm



Brand: Max-Prop

New code: MP10 (Previous name: D100 Anode)

Inner cavity dia 'A' = 53mm Hole centres 'B' = 73mm



SHEET #5



ANODE IDENTIFICATION CHART

Note: Please measure points 'A' and 'B' whilst referring to this chart in order to identify your anode and then quote the 'Brand' and 'New code' ref.

Brand: Max-Prop


New code: MP11 (Previous name: E125 Anode)

Inner cavity dia 'A' = 81mm

Hole centres 'B' = 86mm



OUTER VIEW




INNER VIEW

Brand: Max-Prop

New code: MP12 (Previous name: Sail drive Rope Cutter) Inner dia 'A' = 45mm (no 'B' dimension required)



OUTER VIEW




INNER VIEW

Brand: Max-Prop

New code: MP13 (Previous name: Sail drive NOT Rope Cutter) Inner dia 'A' = 45mm (no 'B' dimension required)



OUTER VIEW



INNER VIEW


Brand: Max-Prop

New code: MP14 (Previous name: Sail Drive E70)

Inner dia 'A' = 61mm (no 'B' dimension required)



OUTER VIEW



INNER VIEW