



Marine Profiles

2022 v.1



Contact Us



If you would like further information on Wilks and the products featured in this brochure, then we would love to hear from you. Orders and sample requests can be placed through our website and/or sales team.

Wilks (Rubber Plastics) Mfgs Co Ltd

Woodrolfe Road

Tollesbury

Essex

CM9 8RY

England

Opening Hours: Monday - Friday, 09:00 - 17:00.

www.wilks.co.uk

Telephone: +44 (0)1621 869609

Fax: +44 (0)1621 868863

Email: info@wilks.co.uk

Contents

Company Overview	Page 4
Choosing your Fendering	Page 5
Material Types	Page 6
Click	Page 7
Rigid PVC with Stainless Steel Inserts	Page 9
Rigid PVC with PVC Inserts	Page 10
Aluminium Profiles with PVC Inserts	Page 12
General PVC Profiles	Page 16
U Profiles	Page 20
B Profiles	Page 26
D Profiles	Page 28
BUMP!	Page 29
Other Profiles	Page 43
Pontoon Profiles	Page 45
Traditional Profiles	Page 46
End Caps	Page 58
Edging Trim	Page 61
Fixing Strips and Cord Plugging	Page 62

Company Overview

Welcome to Wilks

Since 1973 Wilks has been at the forefront of the UK marine industry in the supply of fendering to the worlds leading marine companies. Whilst directly meeting the needs of boat builders, chandlers and retail customers.

We pride ourselves in stocking a wide range of boat fendering and rub rail profiles to meet the demands of a variety of vessels as well as pontoon fendering specifically designed for use as a dock bumper upon moorings, landings and floating pontoons.

In addition we supply a variety of accessories for profile fitting and installation.

If you are unable to find what you need then please do not hesitate to contact us to discuss your exact requirements. Our in-house tooling facilities ensure that we are able to offer our customers full support from the early stages of product development through to manufacture. We can also extrude custommade profiles to your specific colour requirements with extremely reasonable order quantities.

In February 2019, Flexiteek International acquired Wilks. Together we aim to provide the highest quality of products to the marine industry.

Chris Berry - Joint Managing Director





Choosing your Fendering

Choosing your Fendering Profile

When choosing a fendering profile, the first thing to consider is whether the profile will be fitted onto a flat or flanged (lipped) surface. The size of the profile can then be generally determined by the space available to work with on the boat as well as the requirements of the fendering.

A working boat will often be fitted with a heavy duty D profile whereas in contrast a day cruiser would feature a profile akin to a rigid PVC/aluminium profile fitted with a PVC insert

All profiles drawings in this brochure are true to size to


allow easy matching of "like for like" profiles, by placing your existing fender onto the profile drawing.

To have your existing profile matched by our sales team, please email us a photo or post us a small sample of your fender using the contact details at the back of this brochure.

Fittings guides are available on our website for each profile type to assist with both trade and retail installations.

Identify your Profile

Below are a variety of joins and flanges to help identify potential fendering profiles.



Material Types

Material Types

We manufacture in a variety of materials which have been carefully selected to provide optimal performance for each profile's designed application.

Each manufactured material is stated in the profile product description.

PVC

Our PVC profiles are extruded in a range of grades (hardnesses) from rigid/01 to soft/50.

Rubber

Extruded from a virgin EPDM based compound, rubber provides excellent resistance to the water, temperature and ozone levels found in the marine environment.

Pre-formed bow and transom bends can be produced on a selection of our rubber profiles, in 1.5m lengths with the angle centrally positioned.

PVC Grades and Descriptions

Rigid - These profiles are denoted with an "R".

/01 - For body/retainers and rigid strips to strengthen softer PVC profiles. Can be fitted around most bows or transoms providing a radius is present.

/15 - A hard yet flexible compound.

/20 - Can be heated proir to fitting to stretch over flanges and tight radiuses.

/45 - Provides the best performance on impact of all grades.

7/50 - Soft and flexible and generally does not require pre-heating.




Click


Click

The Click fendering system consists of a rigid PVC track and flexible UV stabilised PVC body to provide a quick fit fendering system with hidden fixings.


Please note that product drawings on these pages are not true to size.

















PRODUCT	DESCRIPTION	AVAILABILITY
CLICK 50	Black/White	5m, 10m, 20m and 30m
Click Track		3m stock
Click 50 E/C		Stock







PRODUCT	DESCRIPTION	AVAILABILITY
CLICK 80	Black/White	10m, 20m and 30m
	Click Track	3m stock
Click 80 E/C		Stock



Rigid PVC with Stainless Steel Inserts

Stainless Steel

Our range of stainless steel inserts have been created to fit matching Rigid PVC fender profiles to achieve a sleek and elegant fendering solution.

30mm


PVC 1881R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1881R	White Rigid PVC	3.65m stock
25mm Pre-Drilled Stainless Steel Insert		4.89m stock

50mm


This form of fendering is straightforward to install whilst delivering a simple yet effective finish.

Rigid PVC profiles are also available with PVC inserts.



PVC 2300R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2300R	White Rigid PVC	3.65m stock
38mm Pre-Drilled Stainless Steel Insert		3.65m stock




38mm

PVC 2319


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2319	White Semi-rigid	100m min. order
19mm Pre-Drilled Stainless Steel Insert (2		3.65m stock

PVC 2318R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2318R	White Rigid PVC	3.65m stock
19mm Pre-Drilled Stainless Steel Insert		3.65m stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2378R	Black/ White Rigid PVC	480m min. order
25mm Pre-Drilled Stainless Steel Insert		4.89m stock



PVC 2480R


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2480R	Black/ White Rigid PVC	250m min. order
25mm Pre-Drilled Stainless Steel Insert		4.89m stock

Rigid PVC with PVC Inserts




PVC 1613R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1613R	Body: Black/ White	320m min. order
PVC 1614	Insert: Black	180m min. order
FVC 1014	Insert: White	100m min. order
PVC 1613/EC	End Cap: Black/White GRP	Stock



PVC 1417R


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1417R	Body: Black	506m min. order
PVC 1417K	Body: White	3.65m stock
	Insert: Black	5m, 15m, 22m & 30m stock
PVC 1418	Insert: White	5m & 30m stock
	Insert: Silver	380m min. order
1417/EC	End Cap: Black/White/Silver GRP	Stock




PVC 1472R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1472R	Body: Black/ White	3.65m stock
PVC 1022	Insert: Black	5m, 15m, 19m, 22m and 30m stock
FVC 1022	Insert: White	9m, 19m and 30m stock
PVC 1472/EC	End Cap: Aluminium/Black/White GRP	Stock

Rigid PVC with PVC Inserts




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1783R	Body: White	219m min. order
PVC 1614	Insert: Black	180m min. order
	Insert: White	100m min. order



PVC 2356R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2356R	Body: Black/ White	182m min. order
	Insert: Black	5m, 15m, 22m & 30m stock
PVC 1418	Insert: White	5m & 30m stock
	Insert: Silver	380m min. order
1417/EC	End Cap: Black/White/Silver GRP	Stock



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2357R	Body: Black/ White	200m min. order
PVC 1614 -	Insert: Black	180m min. order
FVC 1014	Insert: White	100m min. order
PVC 1613/EC	End Cap: Black/White GRP	Stock

Aluminium Profiles with PVC Inserts

Aluminium Profiles with PVC Inserts


Our range of aluminium profiles provide a classic boat fendering solution which is simple to install for both the amateur and professional alike.

All of our aluminium boat profiles are supplied polished

and anodised, unless otherwise stated. Flexible PVC inserts neatly clip in to the aluminium to offer protection against external surfaces.




Aluminium Profiles with PVC Inserts




ALI 68

PRODUCT	DESCRIPTION	AVAILABILITY
ALI 68	Body: Anodised only	3.65m stock
PVC 1022	Insert: Black	5m, 15m, 19m, 22m & 30m stock
	Insert: White	450m min. order
ALI 68/EC	End Cap: Stainless Steel	Stock




ALI 114

PRODUCT	DESCRIPTION	AVAILABILITY
ALI 114	Body: Anodised only	3.65m stock
PVC 114	Insert: Black	11m, 19m & 30m stock
PVC 114	Insert: White	19m & 30m stock
ALI 114/EC	End Cap: Stainless Steel	Stock




ALI 5222

PRODUCT	DESCRIPTION	AVAILABILITY
ALI 5222	Body: Anodised only	3.65m stock
PVC 737	Insert: Black	11m, 15m, 19m & 30m stock
ALI 5222/EC	End Cap: Aluminium	Stock




ALI 606

PRODUCT	DESCRIPTION	AVAILABILITY
ALI 606	Body: Anodised and Polished	3.65m stock
PVC 1066	Insert: Black	15m, 22m, 26m & 30m
ALI 606/EC	End Cap: Stainless Steel	Stock




ALI 604

PRODUCT	DESCRIPTION	AVAILABILITY
ALI 604	Body: Polished & Anodised	3.65m stock
PVC 1062	Insert: Black	5m, 15m, 19m, 22m & 30m stock
ALI 604/605/EC	End Cap: Stainless Steel	Stock



PRODUCT	DESCRIPTION	AVAILABILITY
ALI 605	Body: Anodised and Polished	3.65m stock
PVC 1062	Insert: Black	5m, 15m, 19m, 22m & 30m stock
ALI 604/605/EC	End Cap: Stainless Steel	Stock

Aluminium Profiles with PVC Inserts



PRODUCT DESCRIPTION AVAILABILITY

ALI 585 Body: Anodised and Polished 3.65m stock

PVC 1000 Insert: Black 100m min. order

ALI 585/EC End Cap: Stainless Steel Stock

PRODUCT	DESCRIPTION	AVAILABILITY
ALI 607	Body: Anodised and Polished	150 x 3.65m min. order
PVC 1065	Insert: Black	150m min. order
ALI 607/EC	End Cap: Stainless Steel	Stock

Obsolete Aluminium Profile Inserts


We hold an archive of additional obsolete insert dies, from which profiles can be extruded subject to production quantities.

26mm 27mm 27mm


PVC 16

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 16	Insert: Black	150m min. order

Simply send a drawing or a sample of your requirements to our sales team. Contact details can be found on the back page of this brochure.



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 18	Insert: Black	5m, 20m & 30m stock





PVC 74

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 74	Insert: Black	9m, 15m & 30m stock

Obsolete Inserts and Low Friction Profiles

100m min. order





D١	10	1	1	1
P 1	<i>'</i> \ .	- 1	- 1	- 1


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 111	Insert: Black	450m min. order

Low Friction Profiles

PVC 564


All low friction profiles require heating prior to fitting.

Insert: Black




PVC 1698R

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1698R	Black/White Rigid	220m min. order






PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1446	Black MDPE	500m min. order
	Blue MDPE	600m min. order




PVC 1538

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1538	Black/Blue MDPE	400m min. order


General PVC Profiles



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 167	Body: Black (20)	130m min. order
PVC 107	Body: White (20)	150m min. order
PVC 170	Insert: White	300m min. order
	Insert: Red	270m min. order
	Insert: Blue	10m, 15m & 20m stock
13 x 3mm Rigid PVC Strip		3m stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 168	Body: Black/White (20)	10m, 15m & 20m stock
PVC 170	Insert: White	300m min. order
	Insert: Red	270m min. order
	Insert: Blue	10m, 15m & 20m stock
13 x 3mm Rigid PVC Strip		Stock




DESCRIPTION	AVAILABILITY
Body: Black (20)	130m min. order
Body: White (20)	220m min. order
Insert: White	300m min. order
Insert: Red	270m min. order
Insert: Blue	10m, 15m & 20m stock
3mm Rigid PVC Strip	3m stock
	Body: Black (20) Body: White (20) Insert: White Insert: Red Insert: Blue

General PVC Profiles




PVC 180

PRODUCT	DESCRIPTION	AVAILABILITY
	Body: Black/White (20)	9m, 15m & 30m stock
PVC 180	Insert: Black	Included with body
	Insert: White/Red	600m min. order
PVC 180/EC	End Cap: Black/White GRP	Stock




PVC 370

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 370	Body: Black/White (20)	12m, 15m & 30m stock
	Insert: Black	Included with body
	Insert: White/Red	240m min. order
	Insert: Blue	300m min. order
PVC 370/EC	End Cap: Black/White GRP	Stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2084	Body: Black/White (20)	125m min. order
PVC 370	Insert: Black/White/Red/Blue	Included with body




PVC 2404

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2404	Black (50)	75m min. order
PVC 2404T	Traditional	75m min. order




PVC 1495

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1495	Body: Black (20)	100m min. order
PVC 1496R	Rigid PVC Retainer	Toom min. order



PVC 2086


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2086	Body: Black (50)	100m min. order
PVC 2086T	Body: Traditional	15m , 20m & 30m stock
PVC 2085	Track	10m, 15m, 20m & 30m stock
BUMP! 53mm S/Steel End Cap	End Cap: Stainless Steel	Stock



PVC 2229

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2229	Black (45)	100m min. order
PVC 2228	Track	room min. order


Plain Top fits 50 x 9mm Bar



PVC 267

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 267	Black	30m stock
PVC 267T	Traditional	50m min. order

Plain Top fits 40 x 8mm Bar



PVC 1289

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1289	Various Colours	250m min. order

Contact our sales team for further made to order handrails.

U Fender


U fender is designed to fit over a flange style deck to hull join and provide protection to a high contact area.

Our range of boat U fender profiles provide an ideal

solution to a number of end use requirements.


Profiles vary in style and shape to allow the location of the rivets or bolts in the flange.





HFR 59

PRODUCT	DESCRIPTION	AVAILABILITY
HFR 59	Black Rubber	960m min. order




PVC 869


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 869	Black (20)	750m min. order


PVC 177

PVC 178




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 177	Black (20)	275m min. order






PRODUCT	DESCRIPTION	AVAILABILITY
PVC 178	Black (20)	220m min. order




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 179	Black (20)	80m min. order



PVC 2523

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2523	Black	400m min. order




PVC 2524


PVC 179

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2524	Black	200m min. order


PVC 40




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 40	Black (50)	6m, 15m & 30m stock
	White (50)	6m, 9m, 15m & 30m stock
PVC 40T	Traditional	15m & 30m stock



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2010	Black (50)	15m & 30m stock
	White (50)	5m & 30m stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 6	Black (20)	15m, 20m & 30m
PVC 6/EC	End Cap : Black GRP	Stock





PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1/5	Black	9m, 12m, 15m & 30m stock
	White (50)	210m min. order
PVC 1/2	Black/White (20)	150m min. order
PVC 1T	Traditional	15m & 30m stock

PVC 1/5




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 4/5	Black (50)	12m, 15m & 30m stock
PVC 4/2	Black (20)	12m & 30m stock
PVC 4T	Traditional	75m min. order
PVC 4/EC	End Cap: Stainless Steel	Stock







PRODUCT	DESCRIPTION	AVAILABILITY
PVC 204	Black (20)	10m, 15m & 30m stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2489	Black/White (50)	150m min. order
← 39mm →		



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 7	Black (20)	75m min. order
PVC 7T	Traditional	120m min. order




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 205	Black (20)	11m, 15m, 20m & 32m stock
PVC 205/EC	End Cap: Black GRP	Stock



PVC 263


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 263	Black (20)	250m min. order



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 255	Black/White (20)	100m min. order

PRODUCT

PVC 256




AVAILABILITY

130m min. order

25mm 22mm


PVC 486

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 486	Black/White (20)	250m min. order




DESCRIPTION

Black/White (20)







PRODUCT	DESCRIPTION	AVAILABILITY
PVC 532	Black/White (20)	170m min. order




PVC 557


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 557	Black (20)	250m min. order







Page 24 www.wilks.co.uk








PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2106	Black/White (20)	70m min. order
PVC 2106T	Traditional	120m min. order
19mm Stainless Steel Insert		3.65m length stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2230	Black (50)	75m min. order




PVC 1061

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1061	Black/White (15)	100m min. order



PVC 266

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 266	Black (50)	250m min. order




PVC 2684

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2684	Various Colours	500m min. order

B Profiles

B Fender

The B fender design delivers a high level of impact protection making them well suited to the marine environment.




PVC 2578

PRODUCT	DESCRIPTION	AVAILABILITY
PVC2578	Body: Black (50)	100m min. order
PVC 2588	Insert: White	360m min. order


N. B Internal channel holds 35×5 mm fixing strip (PVC 2588) the lower void allows for bolts and penny washers.

B Profiles




P	١/	\boldsymbol{c}	3/	1	5
Г	v	C	رر	- 1	J

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 3/15	Body: Black (15)	75m min. order
	Insert: White	Included with body
13 x 3mm Rigid PVC Strip		3m stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 202	Body: Black (15)	60m min. order
F V C 202	Insert: White	Included with body
15 x 5mm Rigid PVC Strip		3m stock




PVC 954


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 954	Black/White (50)	100m min. order
19 x 3 mm Rigid PVC Strip		3m stock
19mm Stainless Steel		3.65m stock



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 201	Body: Black (15)	90m min. order
PVC 201	Insert: White	Included with body
15 x 5mm Rigid PVC Strip		3m stock



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 624	Body: Black (15)	15m & 30m stock
13 x 3mm Rigid PVC Strip		3m stock



P	V	C	8	8	3

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 883	Black (50)	10m & 15m stock
19 x 3m	nm Rigid PVC Strip	3m stock
19mm Stainless Steel		3.65m stock
PVC 883/EC	End Cap: Aluminimum	Stock

D Fender

D fender profiles are a versatile fender option for both vessel and pontoon protection. Designed to meet a

variety of both retail and trade needs.

To complete installation fixing strips and PVC cord plugging is available.






Great looking fendering that's quick and easy to fit with no front fastenings.


BUMP! has been developed to provide quick, simple installation without compromise to impact resistance.

Not only easier to fit than traditional D Fender, BUMP! also handles curves and an 80mm radius without the need to mitre either track or body.


BUMP! is available from stock in either a 53mm or 65mm body with a single track size to accommodate both.




PRODUCT	WIDTH	HEIGHT	COLOUR	AVAILABILITY
BUMP! 53	53mm	28mm	Black/ White/ Traditional	10m, 20m & 30m stock
BUMP! 65	65mm	38mm	Black / White/ Traditional	15m & 25m stock
BUMP! Track	-		White	3m stock
BUMP! End Caps		-	Stainless Steel	Stock




PVC 51




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 49	Black/White (50)	5m, 10m, 15m, 20m & 30m stock
PVC 49T	Traditional	75m min. order
3	1 x 3mm Rigid PVC Strip	3m stock
8mm PVC Cord Plugging		3m stock
PVC 49/EC	End Cap: Black/White GRP	Stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 50	Black/White (50)	9m, 15m & 30m stock
PVC 50T	Traditional (50)	200m min. order
19 x 3mm Rigid PVC Strip		3m stock
8mm PVC Cord Plugging		3m stock




PRODUCT	DESCRIPTION	AVAILABILITY	
PVC 51	Black (50)	350m min. order	
PVC31	White (50)	320m min. order	
PVC 51T	Traditional	200m min. order	
13 x 3mm Rigid PVC Strip		3m stock	
8mm PVC Cord Plugging		3m stock	



PRODUCT	DESCRIPTION	AVAILABILITY
PVC 276	Black	3m, 9m & 15m stock
31 x 3mr	3m stock	
19mm P\	3m stock	
BUMP! 65mm EC	End Cap: Stainless Steel	Stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 632	Black (50)	3m & 6m stock
PVC 032	White (50)	100m min. order
38 x 6mm Rigid PVC Strip		4m stock
19mm PVC Cord Plugging		3m stock




PVC 636

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 636	Black/White (50)	100m min. order
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		10 x 4m min. order
19mm PVC Cord Plugging		3m stock
PVC	End Cap: White GRP	Stock
636/898/72/EC	End Cap: Stainless Steel	Stock




PVC 898

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 898	Black/White (50)	3m & 6m stock
F V C 090	Black Recycled Material	100m min. order
PC 898T	Traditional	90m min. order
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		10 x 4m min. order
19mm PVC Cord Plugging		3m stock
PVC	End Cap: White GRP	Stock
636/898/72/EC	End Cap: Stainless Steel	Stock




PVC 72

	PRODUCT	DESCRIPTION	AVAILABILITY
١	PVC 72	Black	3m & 9m stock
١	PVC 72	White (50)	150m min. order
)	31 x 3mm Rigid PVC Strip		3m stock
,	19mm PVC Cord Plugging		3m stock
	PVC	End Cap: White GRP	Stock
	636/898/72/EC	End Cap: Stainless Steel	Stock




PVC 64

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 64	Black	125m min. order
8mm PVC Cord Plugging		3m stock




HFR 65

PRODUCT	DESCRIPTION	AVAILABILITY
HFR 65	Black EPDM Rubber	125m. min order
13mm PVC Cord Plugging		3m stock




PVC 385

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 385	Black/White (20)	120m min. order
13mm PVC Cord Plugging		3m stock




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 386	Black/White (20)	90m min. order
13mm PVC Cord Plugging		3m stock




PVC 060

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 060	Black	60m min. order
13mm P	VC Cord Plugging	3m stock




HFR 171

PRODUCT	DESCRIPTION	AVAILABILITY
HFR 171	Black EPDM Rubber	23m min. order
Pre-formed bends 0.75m x 0.75m		POA
19mm Rubber Cord Plugging		3m stock





PRODUCT	DESCRIPTION	AVAILABILITY
PVC 63	Black	3m & 9m stock
PVC 03	White (PVC) (50)	100m min. order
38 x 6mm Rigid PVC Strip		4m stock
19mm PVC Cord Plugging		3m stock



PRODUCT	DESCRIPTION	AVAILABILITY
HFR 355	Black EPDM Rubber	20m min. order
Pre-formed bends 0.75m x 0.75m		POA
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		10 x 4m min. order
19mm Rubber Cord Plugging		3m stock


Page 33 www.wilks.co.uk






PVC 2448

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2448	Black (50)	100m min. order
50 x 8mm Rigid PVC Strip		4m stock
75 x 3mm Aluminium Strip		4m stock
25mm PVC Cord Plugging		3m stock




PVC 2449

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2449	Black (50)	125m min. order
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		10 x 4m min. order
25mm PVC Cord Plugging		3m stock




PVC 2546


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2546 Black (50)		150m min. order
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		10 x 4m min. order
25mm PVC Cord Plugging		3m stock




HFR 62

PRODUCT	DESCRIPTION	AVAILABILITY
HFR 62	Black EPDM Rubber	26m min. order
Pre-formed bends 0.75m x 0.75m		POA
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		10 x 4m min. order
19mm Rubber Cord Plugging		Stock









HFR 401

PRODUCT	DESCRIPTION	AVAILABILITY
HFR 401 Black EPDM Rubber		36m min. order
Pre-formed bends 0.75m x 0.75m		POA
50 x 8mm Rigid PVC Strip		4m stock
25mm Rubber Cord Plugging		3m stock



HFR 402


PRODUCT	DESCRIPTION	AVAILABILITY
HFR 402	Black EPDM Rubber	12m min. order
Pre-formed bends 0.75m x 0.75m		POA
75 x 3mm Aluminium Strip		4m stock
25mm Rubber Cord Plugging		3m stock



PVC 2405


PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2405	Black	100m min. order
50 x 8mm Rigid PVC Strip		4m stock

Other Profiles




PVC 1160/F

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 1160/F	Flexible PVC Black Body	50m min. order
31 x 3mm Rigid PVC Strip		3m stock
	Aluminium Double End Cap (Right)	
PVC 1160	Aluminium Double End Cap (Left)	POA
	Aluminium Double 90° Corner	




PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2091	Black (50) Corner Guard	60m min. order
ALI 848	Aluminium Retainer	350m min. order

Other Profiles




Pontoon Profiles



Traditional Range

The ultimate alternative to wooden rubbing strakes, handrails and toe rails. Once sanded with a 40 grit sandpaper the finished appearances produces an attractive woodgrain finish.



PRODUCT	AVAILABILITY
PVC 1T	200m min. order



Factory finish


Sanded finish

25mm


24mm

9mm

PRODUCT	AVAILABILITY
PVC 4T	120m min. order
PVC 4/EC End Cap: Stainless Steel	Stock




PRODUCT	AVAILABILITY
PVC 7T	120m min. order



PVC 40T


PVC 4T

PRODUCT	AVAILABILITY
PVC 40T	210m min. order




PVC 2106T

PRODUCT	DESCRIPTION	AVAILABILITY
PVC 2106T		120m min. order
19mm Stainless Steel Insert		3.65m stock




PVC 49T

PRODUCT	AVAILABILITY
PVC 49T	120m min. order
31 x 3mm Rigid PVC Strip	3m stock
8mm PVC Cord Plugging	3m stock
PVC 49/EC End Cap: GRP (Black/White)	Stock



PVC 50T

PRODUCT	AVAILABILITY
PVC 50T	200m min. order
19 x 3mm Rigid PVC Strip	3m stock
8mm PVC Cord Plugging (Traditional)	3m stock



PVC 51T

PRODUCT	AVAILABILITY
PVC 51T	200m min. order
13 x 3mm Rigid PVC Strip	3m stock
8mm PVC Cord Plugging (Traditional)	3m stock




Great looking fendering that's quick and easy to fit with no front fastenings.


BUMP! has been developed to provide quick, simple installation without compromise to impact resistance.

Not only easier to fit than traditional D Fender, BUMP! also handles curves and an 80mm radius without the need to mitre either track or body.


BUMP! is available from stock in either a 53mm or 65mm body with a single track size to accommodate both.








	PRODUCT	AVAILABILITY
PVC 898T		90m min. order
50 x 8mm Rigid PVC Strip		4m stock
50 x 3mm Aluminium Strip		40m min. order
13mm PVC Cord Plugging (Traditional)		3m stock
PVC 898/EC	End Cap: GRP (White)	Stock
F V C 090/EC	End Cap: Stainless Steel	Stock




PRODUCT	AVAILABILITY
PVC 2379T	50m min. order
50 x 8mm Rigid PVC Strip	4m stock
50 x 3mm Aluminium Strip	40m min. order
19mm PVC Cord Plugging	3m stock

Toe Rails


Traditional looking toe rails and handrail that provide A stainless steel capping is also available. a classic look. These profiles provide a traditional finish but in a modern, low maintenance material.




PRODUCT	AVAILABILITY
TR342G	Stock



PRODUCT	AVAILABILITY
TR242G	Stock






TR36L2G

PRODUCT	AVAILABILITY
TR36L2G	Stock


Page 50 www.wilks.co.uk



TR35H2G

PRODUCT	AVAILABILITY
TR35H2G	Stock
25mm Stainless Steel (2mm)	4.89m stock

Hand Rails



PVC 2549T


PRODUCT	AVAILABILITY
PVC 2549T	100m min. order


Top Capping

CAP902G

PRODUCT

CAP902G







www.wilks.co.uk Page 52

AVAILABILITY

Stock






PVC 267T


PRODUCT	AVAILABILITY
PVC 267T	120m min. order

Plain top - fits 50 x 10mm bar




PVC 2436T

PRODUCT	AVAILABILITY
PVC 2436T	100m min.order




AS2G


	PRODUCT	AVAILABILITY
ĺ	AS2G	Stock




Block Profiles

These profiles are easy to work with and can be modified using traditional wood working tools.









RR652G


PRODUCT	AVAILABILITY
RR6252G	Stock




RR762G

PRODUCT	AVAILABILITY
RR762G	Stock





PRODUCT	AVAILABILITY
PVC 2645T	350m min. order



PVC 2560T

PRODUCT	AVAILABILITY
PVC 2560T	100m min. order

End Caps



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
ALI 68/EC	ALI 68	Stainless Steel



PRODUCT	MATCHING PROFILES	COLOUR/MATERIAL
BUMP! 65mm	BUMP! 65mm	Stainless Steel
EC	PVC 276	Stairliess Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
ALI 606/EC	ALI 606	Stainless Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
ALI 5222/EC	ALI 5222	Aluminium



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
ALI 114/EC	ALI 114	Stainless Steel



PRODUCT	MATCHING PROFILES	COLOUR/MATERIAL
ALI 604/605 EC	ALI 604	Stainless Steel
ALI 604/603 EC	ALI 605	Stairness Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
ALI 607/EC	ALI 607	Stainless Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
ALI 585/EC	ALI 585	Stainless Steel

End Caps



PRODUCT	MATCHING PROFILE	COLOUR/ MATERIAL
PVC 6/EC	PVC 6	Black GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 180/EC	PVC 180	Black/ White GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 205/EC	PVC 205	Black GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 370/EC	PVC 370	Black/ White GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 883/EC	PVC 883	Black GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 1417/EC	PVC 1417	Black/ White/ Silver GRP



PRODUCT	MATCHING PROFILES	COLOUR/MATERIAL
PVC 1472/EC	PVC 1472	Aluminium
1 VC 14/2/LC		Black/ White GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 1613/EC	PVC 1613	Black/ White GRP

End Caps and Edging Trim



PRODUCT	MATCHING PROFILES	COLOUR/MATERIAL
	PVC 4/2	
PVC 4/EC	PVC 4/5	Stainless Steel
	PVC 4T	



ORDER CODE	MATCHING PROFILES	MATERIAL/COLOUR
DVC 909 / DVC	PVC 72	Ctainless Ctaal ////bita
72/ FC	PVC 636	Stainless Steel/White
/ 2/ LC	PVC 898	GINF



PRODUCT	MATCHING PROFILES	COLOUR/MATERIAL
DVC 2005 /6 /5C	PVC 2085/6	Chaimlean Chaol
PVC 2085/6/EC	BUMP! 53mm	Stainless Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
PVC 49/EC	PVC 49	Black/White GRP



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
Click 38/EC	Click 38	Stainless Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
Click 50/EC	Click 50	Stainless Steel



PRODUCT	MATCHING PROFILE	COLOUR/MATERIAL
Click 80/EC	Click 80	Stainless Steel

Edging Trims


For use concealing edges and finishing installations.



PRODUCT	DESCRIPTION	AVAILABILITY
ET106	3mm Black Edging Trim	50m min. order



PRODUCT	DESCRIPTION	AVAILABILITY
ET101	3mm White Edging Trim	50m min. order



PRODUCT DESCRIPTION	AVAILABILITY
3mm Black Side Seal	50m min. order

Fixing Strips and Cord Plugging

Fixing Strips

Our Rigid PVC Fixing Strips are to be used with our range of B and D fendering profiles.

They are inserted within the profile prior to fitting to provide additional strength and act as a continuous washer. This prevents the fixings from pulling through the flexible body when placed under pressure.



FIXING STRIP SIZES	AVAILABILITY	
BUMP! Track	- 3m stock	
13 x 3mm Rigid PVC Strip		
15 x 5mm Rigid PVC Strip		
19 x 3mm Rigid PVC Strip		
25 x 3mm Rigid PVC Strip		
31 x 3mm Rigid PVC Strip		
38 x 6mm Rigid PVC Strip	4m stock	
50 x 3mm Aluminium Strip	40m min. order	
50 x 8mm Rigid PVC Strip	4m stock	
75 x 3mm Aluminium Strip		

Cord Plugging

Our PVC cord is used to plug the holes in the face of our D fender profiles following installation.

Manufactured in a UV stabilised, phthalate free, and 100% recyclable compound, our products are as kind to the environment as possible whilst delivering excellent in use performance.

PVC PLUGGING SIZES	COLOURS	AVAILABILITY
8mm PVC Cord Plugging	DI 1 14/1:	
13mm PVC Cord Plugging	Black, White	3m stock
19mm PVC Cord Plugging	una maditionar	SITISTOCK
25mm PVC Cord plugging	Black	



Flexiteek





THE NEXT GENERATION

www.flexiteek.com

Contact Us

If you would like further information on Wilks and the products featured in this brochure, then we would love to hear from you.

Orders and sample requests can be placed through our website and/or sales team.

www.wilks.co.uk

Telephone: +44 (0)1621 869609

Fax: +44 (0)1621 868863

Email: info@wilks.co.uk

Opening Hours: Monday - Friday, 09:00 - 17:00.

Wilks (Rubber Plastics) Mfgs Co Ltd · Woodrolfe Road ·

Tollesbury · Essex · CM9 8RY · England

Disclaimer

All dimensions and information shown in this brochure is to our knowledge correct at the time of distribution. They are subject to our normal manufacturing tolerances and any modifications that we feel are necessary. Whilst we have endeavoured to ensure that the information given herein is true and reliable it is given only for the guidance of our customers. It is the user's responsibility to ascertain the suitability of products by their own tests.

"Wilks" is a registered trademark of Wilks (Rubber Plastics) Mfgs Co Ltd.

No part of this catalogue may be reproduced without the express permission of Wilks (Rubber Plastics) Mfgs Co Ltd.